INDEX

Ad libitum feeding experiments, concept of an "appetite quotient" for interpretation of, 435.
Adult rats (see Rats).
Alanine content of meat, 319.
Albino rats (see Rats).
Alexander, J. C., C. W. Beckner and C. A. Elvehjem. The alanine, cystine, glycine and serine content of meat, 319.
Alfalfa hay, DDT-treated, effect of feeding to swine and of feeding the swine tissues to rats, 491.
Alloxan diabetes, unsaturated fatty acids and, 441.
American Institute of Nutrition
Editor of Journal of Nutrition, report of, 1953, 141.
Election of officers for 1953–54, 144.
New members elected, 1953, 140.
Proceedings, 17th annual meeting, 1953, 139.
Amino acid(s) and protein content of corn as related to variety and nitrogen fertilization, 241.
—— composition, essential, of some common Indian pulses, 261.
—— diets low in L-, DL- and D-tryptophan, nitrogen balance of adult rats fed, 449.
—— free, in blood plasma of chicks, influence of dietary amino acid supplements on, 515.
—— retention of essential, by growing chick, 413.
—— supplements, influence of dietary, on free amino acids in blood plasma of chicks, 515.
Anderson, G. W. See Jacobs, R. L., 507.
Animal(s), grazing, use of indicators in measurement of dry matter intake of, 35.
— tissues, liberation and measurement of pantothenic acid in, 283.
Antibiotics, effect on growth of chicks raised in new quarters, 463.
— further evidence as to possible mechanism involved in growth-promoting responses obtained from, 507.
— in nutrition of Broadbreasted Bronze turkey poults, 53.
"Appetite quotient," concept of, for interpretation of ad libitum feeding experiments, 435.
Arata, D. A. See Harper, A. E., 523.
Arrington, L. R., and G. K. Davis. Molybdenum toxicity in the rabbit, 295.
Arsanilic acid and 3-nitro,4-hydroxyphenylarsonic acid, effect on selenium poisoning in rat, 131.
Atkinson, R. L., B. L. Reid, J. H. Quisenberry and J. R. Couch. Antibiotics, methionine and unidentified growth factors in the nutrition of Broadbreasted Bronze turkey poults, 53.
Aureomycin, influence of dietary, on growth, intestinal microflora and vitamin B_{12} synthesis of rat, 171.
— variation of growth in successive experiments with folic acid-deficient chicks and influence of, 355.
Award, Borden, in nutrition, 1954, announcement, 147, 318, 467; 1953, presentation, 144.
— Osborne and Mendel, 1954, announcement, 148, 317, 468; 1953, presentation, 145.

B vitamins (see Vitamins, B).
Balance, nitrogen, in adult rat, some factors affecting, 117.
—— of adult rats fed amino acid diets low in L-, DL-, and D-tryptophan, 449.
—— of rat as affected by certain fruits in diet, 403.
Barron, G. P. See French, C. E., 329.
Basal metabolic rate and effects of thiouracil administration and thyroidectomy on control and vitamin B_6-deficient rats, 599.
Beare, J. L. See Beaton, J. R., 599.
Beaton, G. H. See Beaton, J. R., 599.
Beaton, J. R., J. L. Beare, G. H. Beaton, J. M. White and E. W. McHenry. The basal metabolic rate and the effects of thiouracil administration and of thyroidectomy on control and vitamin B_6-deficient rats, 599.
Beckner, C. W. See Alexander, J. C., 319.
Beeson, W. M. See Jackson, H. D., 109.
Benton, D. A. See Harper, A. E., 523.
Bernhart, F. W. See Tomarelli, R. M., 251.
Biddulph, C. See Harris, L. E., 491.
Binns, W. See Harris, L. E., 491.
Biological value of protein and percentage of creatinine N in urine, correlation between, 149.
Biotin, intestinal synthesis of, in rat, 423.
Blaylock, L. G. See Richardson, L. R., 515.
Blood plasma of chicks, influence of dietary amino acid supplements on free amino acids in, 515.
Bones of fluoride-poisoned rat, metabolism of fluorine in, 273.
Borden award in nutrition, 1954, announcement, 147, 318, 467; 1953, presentation, 144.
Bridgforth, E. B. See Darby, W. J., 539, 565; Woodruff, C. W., 23.
Briggs, G. M., M. R. Spivey and L. O. Ortis. Variation of growth in successive experiments with folic acid-deficient chicks and the influence of aureomycin, 355.
— See Reid, M. E., 341.

Cannon, R. O. See Darby, W. J., 539, 565.
Carbohydrate(s) and proteins, comparison of several. Influence of various carbohydrates on utilization of low protein rations by white rat. II., 523.
— influence of dietary, on growth and longevity in rats, 329.
—— —— —— —— intestinal microflora and vitamin B_{12} synthesis of rat, 171.
—— —— of various, on utilization of low protein rations by white rat. II., 523.

Carotene utilization. I. As affected by certain proteins in diet of growing albino rats, 97.
—— some factors in Chinese diet affecting, 305.
CAROTHERS, E. L. See Darby, W. J., 539.
CARPENTER, K. J. The concept of an "appetite quotient" for the interpretation of ad libitum feeding experiments, 435.
Casein level, dietary, toxicity of tri-o-cresyl phosphate for rats as related to, 609.
CATTÁNEO, P. See Rodrigues, R. R., 441.
CHANG, W.-Y. See Sauberlich, H. E., 241, 623.
Chick(s), comparative nutritive value of corn of high and low protein content for growth in, 623.
— folic acid-deficient, variation of growth in successive experiments with, and influence of aureomycin, 355.
— growing, retention of essential amino acids by, 413.
— influence of dietary amino acid supplements on free amino acids in blood plasma of, 515.
— raised in new quarters, effect of antibiotics on growth of, 463.
Chinese diet, some factors in, affecting carotene utilization, 305.
CHOU, T.-C., AND A. L. MARLATT. Some factors in the Chinese diet affecting carotene utilization, 305.
CHRISTIE, A. See Darby, W. J., 539.
CLARK, S. L., JR. See Woodruff, C. W., 23.
COATES, H. See Murlin, J. R., 149
Concept of an "appetite quotient" for interpretation of ad libitum feeding experiments, 435.
Controlled diets (see Diets, controlled).
Corn, amino acid and protein content of, as related to variety and nitrogen fertilization, 241.
— of high and low protein content, comparative nutritive value of, for growth in rat and chick, 623.
Correlation between biological value of protein and percentage of creatinine N in urine, 149.
COUCH, J. R. See Atkinson, R. L., 53; Jacobs, R. L., 507.
Creatinine N percentage in urine, and biological value of protein, correlation between, 149.
Cystine content of meat, 319.

DARBY, W. J., P. M. DENSEN, R. O. CANNON, E. B. BRIDGFORTH, M. P. MARTIN, M. M. KASER, J. C. PETERSON, A. CHRISTIE, W. W. FRYE, K. JUSTUS, G. S. MCCLELLAN, C. WILLIAMS, P. J. OGLE, P. F. HAHN, C. W. SHEPPARD, E. L. CAROTHERS AND J. A. NEWBILL. The Vanderbilt cooperative study of maternal and infant nutrition. I. Background. II. Methods. III. Description of the sample and data, 539.
DARBY, W. J., W. J. MCGANITY, M. P. MARTIN, E. B. BRIDGFORTH, P. M. DENSEN, M. M. KASER, P. J. OGLE, J. A. NEWBILL, A. K. STOCKELL, M. E. FERGUSON, O. TOUSTER, G. S. MCCLELLAN, C. WILLIAMS AND R. O. CANNON. The Vanderbilt cooperative study of maternal and infant nutrition. IV. Dietary, laboratory and physical findings in 2,129 delivered pregnancies, 565.
DAVEY, R. See Miller, C. O., 163.
DAVIS, G. K. See Arrington, L. R., 295; Feaster, J. P., 381.
DDT-treated alfalfa hay, effect of feeding to swine and of feeding the swine tissues to rats, 491.
DENSEN, P. M. See Darby, W. J., 539, 565.
Diabetes, alloxan, unsaturated fatty acids and, 441.
DICK, E. C. See Peterson, G. E., 171.
Diet(s), amino acid, low in L-, DL-, and D-tryptophan, nitrogen balance of adult rats fed, 449.
— Chinese, some factors in, affecting carotene utilization, 305.
— controlled, riboflavin metabolism of women on, 231.
— nitrogen balance and growth of rat as affected by certain fruits in, 403.
— of growing albino rats, utilization of carotene as affected by certain proteins in, 97.
— semi-synthetic, for young guinea pigs, development of, 341.
— vitamin D-free and low phosphorus, P^{32} distribution and excretion in rats fed, 381.
Dietary amino acid supplements, influence on free amino acids in blood plasma of chicks, 515.
— aureomycin and carbohydrate, influence on growth, intestinal microflora and vitamin B_{12} synthesis of rat, 171.
— casein level, toxicity of tri-o-cresyl phosphate for rats as related to, 609.
— fat and carbohydrate, influence on growth and longevity in rats, 329.
— findings in 2,129 delivered pregnancies, 565.
— protein levels, relation to reproduction in rat, 71.
— terramycin and methionine supplements, effect on fat and protein gains in weanling rats, 205.
DOWLING, M. T. See Lyon, J. B., Jr., 65.
Dry matter intake of grazing animals, use of indicators in measurement of, 35.
Duck, magnesium deficiency in, 191.
DURBIN, G. T. See Tomarelli, R. M., 251.

EDITORIAL review. Total digestible nutrients as a measure of feed energy, 15.
ELAM, J. F. See Jacobs, R. L., 507.
ELGINDI, I. M. See James, W. H., 97.
ELLIS, N. R. See Miller, C. O., 163.
ELVEHJEM, C. A. Edwin Bret Hart (December 25, 1874–March 12, 1953), 3.
— See Alexander, J. C., 319; Harper, A. E., 523; Tappan, D. V., 469, 479.
ELY, M. T. See Nasset, E. S., 449.
Energy (feed), total digestible nutrients as a measure of. Editorial review, 15.
Estradiol, effects of prolonged percutaneous administration of, on growing female rats, 365.
EVANS, H. M. See Nelson, M. M., 71.
Excretion of P^{32} in rats fed vitamin D-free and low phosphorus diets, 381.

FAT gains in weanling rats, effects of dietary terramycin and methionine supplements on, 205.
— influence of dietary, on growth and longevity in rats, 329.
— liver. Influence of various carbohydrates on utilization of low protein rations by white rat. II., 523.
Fatty acids, unsaturated, and alloxan diabetes, 441.

FEASTER, J. P., R. L. SHIRLEY, J. T. MCCALL AND G. K. DAVIS. P^{32} distribution and excretion in rats fed vitamin D-free and low phosphorus diets, 381.
Feed energy, total digestible nutrients as a measure of. Editorial review, 15.
Feeding experiments, ad libitum, concept of an "appetite quotient" for interpretation of, 435.
Female rats (see Rats).
FENTON, P. F. See Lyon, J. B., Jr., 65.
FERGUSON, M. E. See Darby, W. J., 565.
Fertilization (nitrogen), amino acid and protein content of corn as related to, 241.
Fluoride-poisoned rat, metabolism of fluorine in bones of, 273.
Fluorine, metabolism in bones of fluoride-poisoned rat, 273.
Folic acid deficiency in guinea pig, 23.
— acid-deficient chicks, variation of growth in successive experiments with, and influence of aureomycin, 355.
Food(s), distribution of xanthine oxidase factor (molybdenum) in, 85.
— intake and oxygen consumption. Studies on obesity. II., 65.
FOWLER, J. See Jacobs, R. L., 507.
FRENCH, C. E., R. H. INGRAM, J. A. URAM, G. P. BARRON AND R. W. SWIFT. The influence of dietary fat and carbohydrate on growth and longevity in rats, 329.
Fruits in diet, nitrogen balance and growth of rats as affected by certain, 403.
FRYE, W. W. See Darby, W. J., 539.

GEE, L. L. See Jacobs, R. L., 507.
Glycine content of meat, 319.
Grazing animals, use of indicators in measurement of dry matter intake of, 35.
GREENWOOD, D. A. See Harris, L. E., 491.
Growing chick (see Chick).
— rats (see Rats).
Growth factors, unidentified, in nutrition of Broadbreasted Bronze turkey poults, 53.
— in rat(s) and chick, comparative nutritive value of corn of high and low protein content for, 623.
— — — influence of dietary fat and carbohydrate on, 329.
— influence of various carbohydrates on utilization of low protein rations by white rat. II., 523.
— of chicks raised in new quarters, effect of antibiotics on, 463.
— of rat(s) as affected by certain fruits in diet, 403.
— — — fed simulated human milk, effect of mucin on, 251.
— — — influence of dietary aureomycin and carbohydrate on, 171.
— variation of, in successive experiments with folic acid-deficient chicks and influence of aureomycin, 355.
Growth-promoting responses obtained from antibiotics, further evidence as to possible mechanism involved in, 507.
Guinea pig(s), folic acid deficiency in, 23.
— — young, development of semi-synthetic diet for, 341.
GUTHNECK, B. T. See Schweigert, B. S., 283.

HAHN, P. F. See Darby, W. J., 539.
HAM, W. E., AND K. W. SCOTT. Intestinal synthesis of biotin in the rat. Effect of deficiencies of certain B vitamins and of sulfasuxadine and terramycin, 423.
HARDISON, W. A., AND J. T. REID. Use of indicators in the measurement of the dry matter intake of grazing animals, 35.
HARPER, A. E., W. J. MONSON, D. A. ARATA, D. A. BENTON AND C. A. ELVEHJEM. Influence of various carbohydrates on the utilization of low protein rations by the white rat. II. Comparison of several proteins and carbohydrates, growth and liver fat, 523.
HARRIS, J. R. See Harris, L. E., 491.
HARRIS, L. E., J. R. HARRIS, F. L. MANGELSON, D. A. GREENWOOD, C. BIDDULPH, W. BINNS AND M. L. MINER. Effect of feeding DDT-treated alfalfa hay to swine and of feeding the swine tissues to rats, 491.
HART, EDWIN BRET (December 25, 1874–March 12, 1953), 3.
HARTSOOK, E. W., AND B. C. JOHNSON. Effects of dietary terramycin and methionine supplements on fat and protein gains in weanling rats, 205.
Hay, DDT-treated alfalfa, effect of feeding to swine and of feeding the swine tissues to rats, 491.
HAYES, A. D. See Murlin, J. R., 149.
HENDRICK, C., H. L. KLUG AND O. E. OLSON. Effect of 3-nitro,4-hydroxyphenylarsonic acid and arsanilic acid on selenium poisoning in the rat, 131.
HERB, S. F., R. W. RIEMENSCHNEIDER, H. KAUNITZ AND C. A. SLANETZ. Nature of the "vitamin A-like factor" in lard, 393.
HIGHMAN, B. See Pecora, L. J., 219.
HILL, C. H., AND J. W. KELLY. The effect of antibiotics on the growth of chicks raised in new quarters, 463.
Histology of chronically thiamine-deficient rats and their pair-fed controls, 219.
HOLDEN, J. W., AND I. M. ELGINDI. The utilization of carotene. I. As affected by certain proteins in the diet of growing albino rats, 97.
HOUSSAY, B. A. See Rodriguez, R. R., 441.
HOVE, E. L. The toxicity of tri-o-cresyl phosphate for rats as related to dietary casein level, vitamin E and vitamin A, 609.
Human milk (see Milk, human).
Hydroxyphenylarsonic (3-nitro,4-) acid and arsanilic acid, effect on selenium poisoning in rat, 131.

INDIAN pulses, some common, essential amino acid composition of, 261.
Indicators, use in measurement of dry matter intake of grazing animals, 35.
Infant and maternal nutrition, Vanderbilt cooperative study of. I., II. and III., 539; IV., 565.
INGRAM, R. H. See French, C. E., 329.
Institute of Nutrition, American (see American Institute of Nutrition).
Interpretation of ad libitum feeding experiments, concept of an "appetite quotient" for, 435.
Intestinal microflora of rat, influence of dietary aureomycin and carbohydrate on, 171.
— synthesis of biotin in rat. Effect of deficiencies of certain B vitamins and of sulfasuxadine and terramycin, 423.

JACKSON, H. D., E. T. MERTZ AND W. M. BEESON. Quantitative valine requirement of the weanling pig, 109.

JACOBS, R. L., J. F. ELAM, G. W. ANDERSON, L. L. GEE, J. FOWLER AND J. R. COUCH. Further evidence as to the possible mechaniam involved in the growth-promoting responses obtained from antibiotics, 507.
JOHANSSON, K. R. See Peterson, G. E., 171.
JOHNSON, B. C. See Hartsook, E. W., 205.
JOHNSON, K. See Murlin, J. R., 149.
JUSTUS, K. See Darby, W. J., 539.

KASER, M. M. See Darby, W. J., 539, 565.
KAUNITZ, H. See Herb, S. F., 393.
KELLY, J. W. See Hill, C. H., 463.
KLUG, H. L. See Hendrick, C., 131.

LABORATORY findings in 2,129 delivered pregnancies, 565.
Lard, nature of "vitamin A-like factor" in, 393.
LATEGOLA, M. See Murlin, J. R., 149.
LEWIS, U. J. See Tappan, D. V., 479.
Liberation of pantothenic acid in animal tissues, 283.
LIGHT, A. E., AND J. A. TORNABEN. Effects of prolonged percutaneous administration of methyl testosterone and estradiol on growing female rats, 365.
LINDEN, E. See Tomarelli, R. M., 251.
Liver fat. Influence of various carbohydrates on utilization of low protein rations by white rat. II., 523.
Longevity in rats, influence of dietary fat and carbohydrate on, 329.
LYMAN, C. M. See Richardson, L. R., 515.
LYON, J. B., JR., M. T. DOWLING AND P. F. FENTON. Studies on obesity. II. Food intake and oxygen consumption, 65.

MAGNESIUM deficiency in duck, 191.
MANGELSON, F. L. See Harris, L. E., 491.
MARLATT, A. L. See Chou, T.-C., 305.
MARSHALL, M. W. See Womack, M., 117.
MARTIN, M. P. See Darby, W. J., 539, 565.
Maternal and infant nutrition, Vanderbilt cooperative study of. I., I. and III., 539; IV., 565.
MAYNARD, L. A. Editorial review. Total digestible nutrients as a measure of feed energy, 15.
MCCALL, J. T. See Feaster, J. P., 381.
MCCLELLAN, G. S. See Darby, W. J., 539, 565.
MCGANITY, W. J. See Darby, W. J., 565.
MCHENRY, E. W. See Beaton, J. R., 599.
Measurement of dry matter intake of grazing animals, use of indicators in, 35.
— of pantothenic acid in animal tissues, 283.
Meat; a'anine, cystine, glycine and serine content of, 319.
MERTZ, E. T. See Jackson, H. D., 109.
Metabolic rate, basal, and effects of thiouracil administration and thyroidectomy on control and vitamin B_6-deficient rats, 599.
Metabolism of fluorine in bones of fluoride-poisoned rat, 273.
— riboflavin, of women on controlled diets, 231.
METHFESSEL, A. H. See Tappan, D. V., 479.
Methionine in nutrition of Broadbreasted Bronze turkey poults, 53.
— supplements, dietary, effects on fat and protein gains in weanling rats, 205.
Methyl testosterone, effects of prolonged percutaneous administration of, on growing female rats, 365.
Microflora, intestinal, of rat, influence of dietary aureomycin and carbohydrate on, 171.
Milk, simulated human, effect of mucin on growth of rats fed, 251.
MILLER, C. O., N. R. ELLIS, J. W. STEVENSON AND R. DAVEY. The riboflavin requirement of swine for reproduction, 163.
MILLER, R. F., AND P. H. PHILLIPS. The metabolism of fluorine in the bones of the fluoride-poisoned rat, 273.
MINER, M. L. See Harris, L. E., 491.
Molybdenum toxicity in rabbit, 295.
— (xanthine oxidase factor), distribution in foods, 85.
Monkeys, rhesus, receiving highly processed rations, observations on nutrition of, 469.
MONSON, W. J. See Harper, A. E., 523.
Mucin, effect on growth of rats fed simulated human milk, 251.
MURLIN, J. R., A. D. HAYES AND K. JOHNSON. Correlation between the biological value of protein and the percentage of creatinine N in the urine, 149.

NASSET, E. S., AND M. T. ELY. Nitrogen balance of adult rats fed amino acid diets low in L-, DL- and D-tryptophan, 449.
— See Siliciano, A. M., 403.
NELSON, M. M., AND H. M. EVANS. Relation of dietary protein levels to reproduction in the rat, 71.
NEWBILL, J. A. See Darby, W. J., 539, 565.
Nitrogen balance in adult rat, some factors affecting, 117.
— — of adult rats fed amino acid diets low in L-, DL- and D-tryptophan, 449.
— — of rat as affected by certain fruits in diet, 403.
— (creatinine) in urine, correlation between biological value of protein and percentage of, 149.
— fertilization, amino acid and protein content of corn as related to, 241.
Nutrients, total digestible, as a measure of feed energy. Editorial review, 15.
Nutrition, American Institute of (see American Institute of Nutrition).
— Borden award in, 1954, announcement, 147, 318, 467; 1953, presentation, 144.
— maternal and infant, Vanderbilt cooperative study of. I., II. and III., 539; IV., 565.
— of Broadbreasted Bronze turkey poults, antibiotics, methionine and unidentified growth factors in, 53.
— of rhesus monkeys receiving highly processed rations, 469.
Nutritive value, comparative, of corn of high and low protein content for growth in rat and chick, 623.

OBESITY, studies on. II. Food intake and oxygen consumption, 65.
OGLE, P. J. See Darby, W. J., 539, 565.
OLSON, O. E. See Hendrick, C., 131.
Organ weights of chronically thiamine-deficient rats and their pair-fed controls, 219.
ORTIZ, L. O. See Briggs, G. M., 355.
Osborne and Mendel award, 1954, announcement, 148, 317, 468; 1953, presentation, 145.
Oxidase (xanthine) factor (molybdenum), distribution in foods, 85.
Oxygen consumption and food intake. Studies on obesity. II., 65.

PANTOTHENIC acid in animal tissues, liberation and measurement of, 283.
PARKS, A. B. See Womack, M., 117.
PEARSON, P. B. See Van Reen, R., 191.

PECORA, L. J., AND B. HIGHMAN. Organ weights and histology of chronically thiamine-deficient rats and their pair-fed controls, 219.
Percutaneous administration of methyl testosterone and estradiol, effects of prolonged, on growing female rats, 365.
PETERSON, G. E., E. C. DICK AND K. R. JOHANSSON. Influence of dietary aureomycin and carbohydrate on growth, intestinal microflora and vitamin B_{12} synthesis of the rat, 171.
PETERSON, J. C. See Darby, W. J., 539.
PHILLIPS, P. H. See Miller, R. F., 273.
Phosphate, tri-o-cresyl, toxicity for rats as related to dietary casein level, vitamin E and vitamin A, 609.
Phosphorus^{32} distribution and excretion in rats fed vitamin D-free and low phosphorus diets, 381.
Phosphorus-low diets, P^{32} distribution and excretion in rats fed, 381.
Physical findings in 2,129 delivered pregnancies, 565.
Pig, guinea (see Guinea pig).
— weanling, quantitative valine requirement of, 109.
Plasma, blood (see Blood plasma).
Poisoning, selenium, in rat, effect of 3-nitro,4-hydroxyphenylarsonic acid and arsanilic acid on, 131.
Poults, turkey (see Turkey poults).
Pregnancies (2,129 delivered), dietary, laboratory and physical findings in, 565.
PRICE, W. A., JR., M. W. TAYLOR AND W. C. RUSSELL. The retention of essential amino acids by the growing chick, 413.
Protein(s) and amino acid content of corn as related to variety and nitrogen fertilization, 241.
— and carbohydrates, comparison of several. Influence of various carbohydrates on utilization of low protein rations by white rat. II., 523.
— certain, in diet of growing albino rats, utilization of carotene as affected by, 97.
— content, high and low, comparative nutritive value of corn of, for growth in rat and chick, 623.
— correlation between biological value of, and percentage of creatinine N in urine, 149.
— gains in weanling rats, effects of dietary terramycin and methionine supplements on, 205.
— levels, dietary, relation to reproduction in rat, 71.
Protein-low rations, influence of various carbohydrates on utilization of, by white rat. II., 523.
Pulses, some common Indian, essential amino acid composition of, 261.
Pyridoxine requirements of rats receiving highly processed rations, 479.

QUARTERS, new, effect of antibiotics on growth of chicks raised in, 463.
QUISENBERRY, J. H. See Atkinson, R. L., 53.

RABBIT, molybdenum toxicity in, 295.
Rat(s), adult, fed amino acid diets low in L-, DL- and D-tryptophan, nitrogen balance of, 449.
—— some factors affecting nitrogen balance in, 117.
— chronically thiamine-deficient, and their pair-fed controls, organ weights and histology of, 219.
— comparative nutritive value of corn of high and low protein content for growth in, 623.
— control and vitamin B_6-deficient, basal metabolic rate and effects of thiouracil administration and thyroidectomy on, 599.
— effect of feeding tissues from swine fed DDT-treated alfalfa hay to, 491.
—— of 3-nitro,4-hydroxyphenylarsonic acid and arsanilic acid on selenium poisoning in, 131.
— fed simulated human milk, effect of mucin on growth of, 251.
—— vitamin D-free and low phosphorus diets, P^{32} distribution and excretion in, 381.
— fluoride-poisoned, metabolism of fluorine in bones of, 273.
— growing albino, utilization of carotene as affected by certain proteins in diet of, 97.
—— female, effects of prolonged percutaneous administration of methyl testosterone and estradiol on, 365.
— influence of dietary aureomycin and carbohydrate on growth, intestinal microflora and vitamin B_{12} synthesis of, 171.
—— fat and carbohydrate on growth and longevity in, 329.
— intestinal synthesis of biotin in, 423.
— nitrogen balance and growth of, as affected by certain fruits in diet, 403.
— receiving highly processed rations, pyridoxine requirements of, 479.
— relation of dietary protein levels to reproduction in, 71.
— toxicity of tri-o-cresyl phosphate for, as related to dietary casein level, vitamin E and vitamin A, 609.
— weanling, effects of dietary terramycin and methionine supplements on fat and protein gains in, 205.
— white, influence of various carbohydrates on utilization of low protein rations by, II., 523.
Rations, highly processed, observations on nutrition of rhesus monkeys receiving, 469.
—— pyridoxine requirements of rats receiving, 479.
— low protein, influence of various carbohydrates on utilization of, by white rat. II., 523.
REID, B. L. See Atkinson, R. L., 53.
REID, J. T. See Hardison, W. A., 35.
REID, M. E., AND G. M. BRIGGS. Development of a semi-synthetic diet for young guinea pigs, 341.
Reproduction in rat, relation of dietary protein levels to, 71.
— riboflavin requirement of swine for, 163.
Review, editorial. Total digestible nutrients as a measure of feed energy, 15.
Rhesus monkeys receiving highly processed rations, observations on nutrition of, 469.
Riboflavin metabolism (see Metabolism, riboflavin).
— requirement of swine for reproduction, 163.
RICHARDSON, L. R., L. G. BLAYLOCK AND C. M. LYMAN. Influence of dietary amino acid supplements on the free amino acids in the blood plasma of chicks, 515.
RICHERT, D. A. See Westerfeld, W. W., 85.
RIEMENSCHNEIDER, R. W. See Herb, S. F., 393.
RODRIGUEZ, R. R., P. CATTÁNEO, B. A. HOUSSAY AND B. UNO. Unsaturated fatty acids and alloxan diabetes, 441.
RUSSELL, W. C. See Price, W. A., Jr., 413.

SALMON, W. D. See Sauberlich, H. E., 241, 623.
SAUBERLICH, H. E., W.-Y. CHANG AND W. D. SALMON. The amino acid and protein content of corn as related to variety and nitrogen fertilization, 241.
——— The comparative nutritive value of corn of high and low protein content for growth in the rat and chick, 623.
SCHWEIGERT, B. S., AND B. T. GUTHNECK. Liberation and measurement of pantothenic acid in animal tissues, 283.
SCOTT, K. W. See Ham, W. E., 423.
Selenium poisoning in rat, effect of 3-nitro,4-hydroxyphenylarsonic acid and arsanilic acid on, 131.
Serine content of meat, 319.
SHEPPARD, C. W. See Darby, W. J., 539.
SHIRLEY, R. L. See Feaster, J. P., 381.
SILICIANO, A. M., AND E. S. NASSET. Nitrogen balance and growth of the rat as affected by certain fruits in the diet, 403.
Simulated human milk, effect of mucin on growth of rats fed, 251.
SLANETZ, C. A. See Herb, S. F., 393.
SPIVEY, M. R. See Briggs, G. M., 355.
SRINIVASAN, P. R. See Vijayaraghavan, P. K., 261.
STEVENSON, J. W. See Miller, C. O., 169.
STOCKELL, A. K. See Darby, W. J., 565.
STORVICK, C. A. See Wu, M., 231.
Sulfasuxadine, effect on intestinal synthesis of biotin in rat, 423.
SWIFT, R. W. See French, C. E., 329.
Swine, effect of feeding DDT-treated alfalfa hay to, 491.
— fed DDT-treated alfalfa hay, effect of feeding tissues from to rats, 491.
— riboflavin requirement for reproduction, 163.

TAPPAN, D. V., AND C. A. ELVEHJEM. Observations on the nutrition of rhesus monkeys receiving highly processed rations, 469.
TAPPAN, D. V., U. J. LEWIS, A. H. METHFESSEL AND C. A. ELVEHJEM. Studies concerning the pyridoxine requirements of rats receiving highly processed rations, 469.
TAYLOR, M. W. See Price, W. A., Jr., 413.
Terramycin, effect on intestinal synthesis of biotin in rat, 423.
— supplements, dietary, effects on fat and protein gains in weanling rats, 205.
Testosterone, methyl (see Methyl testosterone).
Thiamine-deficient rats (chronically) and their pair-fed controls, organ weights and histology of, 219.
Thiouracil administration, effects on control and vitamin B_6-deficient rats, 599.
Thyroidectomy, effects on control and vitamin B_6-deficient rats, 599.
Tissues, animal, liberation and measurement of pantothenic acid in, 283.
— of swine fed DDT-treated alfalfa hay, effect of feeding to rats, 491.
TOMARELLI, R. M., E. LINDEN, G. T. DURBIN AND F. W. BERNHART. The effect of mucin on the growth of rats fed simulated human milk, 251.
TORNABEN, J. A. See Light, A. E., 365.
TOUSTER, O. See Darby, W. J., 565.
Toxicity, molybdenum, in rabbit, 295.
— of tri-o-cresyl phosphate for rats as related to dietary casein level, vitamin E and vitamin A, 609.
Tri-o-cresyl phosphate, toxicity for rats as related to dietary casein level, vitamin E and vitamin A, 609.
Tryptophan (L-, DL- and D-), nitrogen balance of adult rats fed amino acid diets low in, 449.
Turkey poults (Broadbreasted Bronze), antibiotics, methionine and unidentified growth factors in nutrition of, 53.

UNO, B. See Rodriguez, R. R., 441.
Unsaturated fatty acids and alloxan diabetes, 441.
URAM, J. A. See French, C. E., 329.
Urine, correlation between biological value of protein and percentage of creatinine N in, 149.

VALINE requirement, quantitative, of weanling pig, 109.
VAN REEN, R., AND P. B. PEARSON. Magnesium deficiency in the duck, 191.
Vanderbilt cooperative study of maternal and infant nutrition. I., II. and III., 539; IV., 565.
Variation of growth in successive experiments with folic acid-deficient chicks and the influence of aureomycin, 355.
Variety, amino acid and protein content of corn as related to, 241.
VIJAYARAGHAVAN, P. K., AND P. R. SRINIVASAN. Essential amino acid composition of some common Indian pulses, 261.
Vitamin(s) A, toxicity of tri-o-cresyl phosphate for rats as related to, 609.
— A-like factor in lard, nature of, 393.
— B, effect of deficiencies of certain, on intestinal synthesis of biotin in rat, 423.
— B_6-deficient and control rats, basal metabolic rate and effects of thiouracil administration and thyroidectomy on, 599.
— B_{12} synthesis of rat, influence of dietary aureomycin and carbohydrate on, 171.
— D-free diets, P^{32} distribution and excretion in rats fed, 381.
— E, toxicity of tri-o-cresyl phosphate for rats as related to, 609.

WARREN, E. See Wu, M., 231.
Weanling pig (see Pig).
— rats (see Rats).
Weights, organ, of chronically thiamine-deficient rats and their pair-fed controls, 219.
WESTERFELD, W. W., AND D. A. RICHERT. Distribution of the xanthine oxidase factor (molybdenum) in foods, 85.
WHITE, J. M. See Beaton, J. R., 599.
White rat (see Rat).
WILLIAMS, C. See Darby, W. J., 539, 565.
WOMACK, M., M. W. MARSHALL AND A. B. PARKS. Some factors affecting nitrogen balance in the adult rat, 117.
Women on controlled diets, riboflavin metabolism of, 231.
WOODRUFF, C. W., S. L. CLARK, JR. AND E. B. BRIDGFORTH. Folic acid deficiency in the guinea pig, 23.
WU, M., E. WARREN AND C. A. STORVICK. Riboflavin metabolism of women on controlled diets, 231.

XANTHINE oxidase factor (molybdenum), distribution in foods, 85.